

**Amendments to the Claims:**


This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. – 52. (Cancelled)

53. (Currently Amended) An organic light-emitting diode (OLED) device that produces white light, including:

- a) an anode;
- b) a hole-transporting layer disposed over the anode;
- c) a blue light-emitting layer disposed over the hole-transporting layer, wherein the blue-light emitting layer comprises a host material and a blue-light emitting material, wherein the concentration of said blue-light emitting material is in a range of greater than 0 and less than 20% by volume of the host material wherein the blue light emitting material is selected from a ~~perylene compound or its derivatives and a bis(azinyl)amine boron complex~~;
- d) an electron-transporting layer disposed over the blue light-emitting layer;
- e) a cathode disposed over the electron-transporting layer;
- f) wherein the hole-transporting layer comprises an entire layer or a partial portion of a layer in contact with the blue light-emitting layer and contains a light-emitting naphthalene compound having formula (I)



Formula (I)

wherein

$R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$  and  $R_6$  represent substituents on each ring where each substituent is individually selected from alkyl or substituted alkyl groups of from 1 to 24 carbon atoms; aryl or substituted aryl groups of from 6 to 20 carbon atoms; carbon atoms from 4 to 24 necessary to complete a fused aromatic ring; heterocyclic or substituted heterocyclic groups of from 5 to 24 carbon atoms, which may be bonded via a single bond, or may complete a fused heteroaromatic ring system; alkoxy or aryloxy groups, alkoxylamino, alkylamino, and arylamino groups of from 1 to 24 carbon atoms; and fluorine, chlorine, bromine or cyano substituents;

$a$ ,  $b$ ,  $c$  and  $d$  are individually selected from 0 through 5;

$e$  and  $f$  are individually selected from 0 through 4;

provided that not all of  $a$ ,  $b$ ,  $c$ ,  $d$ ,  $e$  and  $f$  are 0;


provided that at least one of  $R_1$  through  $R_4$  is not a fused ring group and at least one of  $R_1$  through  $R_6$  is a substituent; and

provided further that neither both  $R_1$  and  $R_4$  nor both  $R_2$  and  $R_3$  are heterocyclic; and

wherein the electron-transporting layer is transparent.

54. (Currently Amended) An organic light-emitting diode (OLED) device that produces white light, including:

- a) an anode;
- b) a hole-transporting layer disposed over the anode;
- c) a blue light-emitting layer disposed over the hole-transporting layer, wherein the blue-light emitting layer comprises a host material and a blue-light emitting material, wherein the concentration of said blue-light emitting material is in a range of greater than 0 and less than 20% by volume of the host material wherein the blue light emitting material is selected from a perylene compound or its derivatives and a bis(azinyl)amine boron complex;
- d) an electron-transporting layer disposed over the blue light-emitting layer;
- e) a cathode disposed over the electron-transporting layer;
- f) wherein the hole-transporting layer comprises an entire layer or a partial portion of a layer in contact with the blue light-emitting layer and contains a light-emitting naphthacene compound having formula (I)



Formula (I)

wherein

$R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$  and  $R_6$  represent substituents on each ring where each substituent is individually selected from alkyl or substituted alkyl groups of

from 1 to 24 carbon atoms; aryl or substituted aryl groups of from 6 to 20 carbon atoms; carbon atoms from 4 to 24 necessary to complete a fused aromatic ring; heterocyclic or substituted heterocyclic groups of from 5 to 24 carbon atoms, which may be bonded via a single bond, or may complete a fused heteroaromatic ring system; alkoxy or aryloxy groups, alkoxylamino, alkylamino, and arylamino groups of from 1 to 24 carbon atoms; and fluorine, chlorine, bromine or cyano substituents;

a, b, c and d are individually selected from 0 through 5;

e and f are individually selected from 0 through 4;

provided that not all of a, b, c, d, e and f are 0;

provided that at least one of R<sub>1</sub> through R<sub>4</sub> is not a fused ring group and at least one of R<sub>1</sub> through R<sub>6</sub> is a substituent; and

provided further that neither both R<sub>1</sub> and R<sub>4</sub> nor both R<sub>2</sub> and R<sub>3</sub> are heterocyclic;

wherein the hole-transporting layer and the blue-light emitting layers comprise hosts and emitting dopants and are co-doped with other dopants; and

wherein the co-dopant in the hole-transporting layer is t-BuDPN and the co-dopant in the blue-light emitting layer is NPB.

55.-56. (Cancelled)